


Date: 25.03.2026

## Installation column 124x110, 2800 mm, 2-sided, aluminium, anodised



### Product description

Floor/ceiling service pole of aluminium with two 76.5 mm wide fixing tracks for device installation of commercially available switch ranges in combination with accessory mounting boxes or M45 built-in devices with the aid of front-locking mounting frames, cable entry through the floor or via the ceiling, consisting of two bases with a DIN rail for snap-in mounting of a partition wall of plastic for separating cables and two covers as pole body (height 2.800 mm), a permanently mountable base plate (width: 200 mm, depth: 200 mm, material thickness: 17 mm), a top plate for fastening the telescopic unit and a universal telescope for clamping fastening. Potential equalisation and earthing measures must be carried out professionally. The specified length corresponds to the length of the column body.

### Basic data

|               |                                   |
|---------------|-----------------------------------|
| Item number   | 18665                             |
| Product group | 30-floor and ceiling installation |
| Packing unit  | 1 piece                           |
| EAN code      | 4018475330986                     |
| Tariff number | 76109090                          |

### Technical features

|   |                       |
|---|-----------------------|
| Pillar shape                              | rectangular           |
| Model                                     | double-sided          |
| Prewired                                  | no                    |
| Height levelling                          | 300 mm                |
| Column height                             | 2800 - 2800 mm        |
| Column depth                              | 124 mm                |
| Column width                              | 110 mm                |
| Number of usable covers                   | 2                     |
| Cover width                               | 80 mm                 |
| Cover depth                               | 15 mm                 |
| Type of fastening                         | telescope             |
| Place variable                            | no                    |
| Cable entry                               | top/bottom            |
| Through-going profile                     | yes                   |
| Material installation column              | aluminium             |
| Material installation column halogen free | yes                   |
| Surface protection column                 | anodised              |
| Colour column                             | silver                |
| Material cover                            | aluminium             |
| Material cover halogen free               | yes                   |
| Cover surface                             | anodised              |
| Useful cross section                      | 12010 mm <sup>2</sup> |
| Floor mounting possible                   | yes                   |
| Ceiling mounting                          | yes                   |